

ITEM NO.	PART NUMBER	DESCRIPTION	MATERIAL	COLOR	SIZE	QTY.
1	316-10-190	No.740 Allith sliding fire door track system for 40" wide opening	Cast iron and steel	Black RAL 9005 (25- 35 gloss)	0	1
2	820-20-462	Metal Clad Door for No.740 Series Hardware with Sloped Top for 40" x 84" Opening, right hand	Sheet metal	Galvalume	48" x 90" centerline x 1-3/4"	1





REV.	DESCRIPTION	DATE	BY	APPR'D

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SCOTT WILLO SOLUTION ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF SWS IS STRICTLY PROHIBITED.


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE:
.X= ±.030
.XX= ±.015
.XXX= ±.005
ANGULAR= ±1°
MACHINED SURFACES TO HAVE 125 RMS FINISH CONCENTRICITY= ±.002 T.I.R. BREAK ALL SHARP EDGES

COPYRIGHTED CAD GENERATED DRAWING, DO NOT MANUALLY UPDATE 07-05-2025 SHEET 1 OF 5 SCALE: 1:20


#### ALLITH **MANUFACTURING COMPANY**

Series 740 Allith track system with Durand's metal-clad door for 40"w x 84"h opening, right hand

SIZE P/N 416-10-192



### **INSIDE DOOR OPEN POSITION**



# **OPEN CONDITION**


					UNLESS OTHERWISE SPECIFIED
					DIMENSIONS ARE IN INCHES
					TOLERANCES ARE:
					X= +.030
			ļ		.XX= +.015
					XXX= +.005
					ANGULAR= +1°
					MACHINED SURFACES TO HAVE
REV.	DESCRIPTION	DATE	BY	APPR'D	125 RMS FINISH
	REVISION	•	•		CONCENTRICITY= ±.002 T.I.R.
OF S	INFORMATION CONTAINED IN THIS DRAWING SCOTT WILLO SOLUTION ANY REPRODUCTION HOUT THE WRITTEN PERMISSION OF SWS IS S	IN PART OR WHOLI	Ē		BREAK ALL SHARP EDGES


COPYRIGHTED CAD GENERATED DRAWING, DO NOT MANUALLY UPDATE 07-05-2025 SHEET 2 OF 5

#### ALLITH **MANUFACTURING COMPANY**


Series 740 Allith track system with Durand's metal-clad door for 40"w x 84"h opening, right hand

SIZE P/N 416-10-192






DETAIL B SCALE 1:5



SECTION D-D SCALE 1:10



DETAIL E SCALE 1:5

REV.	DESCRIPTION	DATE	BY	APPR'D
	REVISIO	N		

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SCOTT WILLO SOLUTION ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF SWS IS STRICTLY PROHIBITED.

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
.X= ±.030
.XX= ±.015
.XXX= ±.005
ANGULAR= ±1°
MACHINED SURFACES TO HAVE

125 RMS FINISH CONCENTRICITY= ±.002 T.I.R. BREAK ALL SHARP EDGES

)	COPYRIGHT GENERATED DO DO NOT MANUAL	RAWING,	
			l
	DRAWN BY	DRAWN DATE	ı
	HT	07-05-2025	ı
	CHECKED BY	CHECKED BY	D
	APPROVED BY	APPROVED DATE	


SHEET 4 OF 5


SCALE: 1:22

#### ALLITH **MANUFACTURING COMPANY**


Series 740 Allith track system with Durand's metal-clad door for 40"w x 84"h opening, right hand

SIZE P/N 416-10-192





## WALL PENETRATION HOLE CENTERS



	UNLESS OTHERWISE SPECIFIED	
	DIMENSIONS ARE IN INCHES TOLERANCES ARE:	D
	X= ±.030	
	.XX= ±.015	
_	.XXX= ±.005	H
	ANGULAR= ±1° MACHINED SURFACES TO HAVE	
)	125 RMS FINISH	
	CONCENTRICITY= ±.002 T.I.R.	SE
	BREAK ALL SHARP EDGES	<u> </u>

	RAWING,	COPYRIGHT GENERATED I DO NOT MANUA
	DRAWN DATE	DRAWN BY
	07-05-2025	HT
DESC	CHECKED BY	CHECKED BY
Se 40	APPROVED DATE	APPROVED BY
		SHEET 5 OF 5
size B	THIRD ANGLE PROJECTION	SCALE: 1:20

#### ALLITH **MANUFACTURING COMPANY**

eries 740 Allith track system with Durand's metal-clad door for 0"w x 84"h opening, right hand

ZE P/N 416-10-192