



| ITEM NO. | PART NUMBER | DESCRIPTION | MATERIAL | COLOR | SIZE | QTY. |
|----------|-------------|--|---------------------|------------------------------|-------------------------------|------|
| 1 | 316-10-520 | No.1772 Bi-parting Allith sliding fire door track system for 72" wide opening | Cast iron and steel | Black RAL 9005 (25-35 gloss) | 0 | 1 |
| 2 | 820-20-440 | Metal Clad Door for No.732 Series Hardware with Sloped Top for 32" x 84" Opening, left hand | Sheet metal | Galvalume | 40" x 90" centerline x 1-3/4" | 1 |
| 3 | 820-20-442 | Metal Clad Door for No.732 Series Hardware with Sloped Top for 32" x 84" Opening, right hand | Sheet metal | Galvalume | 40" x 90" centerline x 1-3/4" | 1 |



Wall fastener sets will vary according to the wall thickness and must be ordered separately.

316-80-230 Fasteners set for Series 1700/1800 systems with 64" to 120" door opening and 6-1/2" to 7" wall

316-80-240 Fasteners set for Series 1700/1800 systems with 64" to 120" door opening and 8-1/2" to 9" wall

316-80-250 Fasteners set for Series 1700/1800 systems with 64" to 120" door opening and 11-1/2" to 12" wall

| REV. | DESCRIPTION | DATE | BY | APPR'D |
|--|-------------|------|----|--------|
| REVISION | | | | |
| THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SCOTT WILLO SOLUTION ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF SWS IS STRICTLY PROHIBITED. | | | | |

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
.X= ±.030
.XX= ±.015
.XXX= ±.005
ANGULAR= ±1°
MACHINED SURFACES TO HAVE
125 RMS FINISH
CONCENTRICITY= ±.002 T.I.R.
BREAK ALL SHARP EDGES

COPYRIGHTED CAD
GENERATED DRAWING,
DO NOT MANUALLY UPDATE

| | |
|-------------|---------------|
| DRAWN BY | DRAWN DATE |
| HT | 30-05-2025 |
| CHECKED BY | CHECKED BY |
| APPROVED BY | APPROVED DATE |

SHEET 1 OF 7

SCALE:
1:20

THIRD ANGLE
PROJECTION


**ALLITH
MANUFACTURING
COMPANY**

DESCRIPTION


Series 1772 Allith track system with Durand's metal-clad double door set for 72"w x 84"h opening

SIZE P/N
B 416-10-520

REV.



SECTION A-A



OPEN CONDITION


| REV. | DESCRIPTION | DATE | BY | APPR'D |
|--|-------------|------|----|--------|
| REVISION | | | | |
| THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SCOTT WILLO SOLUTION ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF SWS IS STRICTLY PROHIBITED. | | | | |

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
.X= ±.030
.XX= ±.015
.XXX= ±.005
ANGULAR= ±1°
MACHINED SURFACES TO HAVE
125 RMS FINISH
CONCENTRICITY= ±.002 T.I.R.
BREAK ALL SHARP EDGES

| | |
|---|---------------------------|
| COPYRIGHTED CAD GENERATED DRAWING. DO NOT MANUALLY UPDATE | |
| DRAWN BY HT | DRAWN DATE 30-05-2025 |
| CHECKED BY | CHECKED BY |
| APPROVED BY | APPROVED DATE |
| SHEET 2 OF 7 | |
| SCALE: 1:22 | THIRD ANGLE PROJECTION |

| | |
|---|-------------------|
| ALLITH MANUFACTURING COMPANY | |
| DESCRIPTION Series 1772 Allith track system with Durand's metal-clad double door set for 72"w x 84"h opening | |
| SIZE B | P/N 416-10-520 |
| REV. | |

INSIDE DOOR OPEN POSITION




OPEN CONDITION

| | | | | |
|--|-------------|------|----|--------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| REV. | DESCRIPTION | DATE | BY | APPR'D |
| REVISION | | | | |
| THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SCOTT WILLO SOLUTION ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF SWS IS STRICTLY PROHIBITED. | | | | |



UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
.X= ±.030
.XX= ±.015
.XXX= ±.005
ANGULAR= ±1°
MACHINED SURFACES TO HAVE
125 RMS FINISH
CONCENTRICITY= ±.002 T.I.R.
BREAK ALL SHARP EDGES

| | |
|---|--------------------------|
| COPYRIGHTED CAD GENERATED DRAWING, DO NOT MANUALLY UPDATE | |
| DRAWN BY HT | DRAWN DATE 30-05-2025 |
| CHECKED BY | CHECKED BY |
| APPROVED BY | APPROVED DATE |
| SHEET 3 OF 7 | |
| SCALE: 1:22 | |

| | |
|---|-------------------|
| ALLITH MANUFACTURING COMPANY | |
| DESCRIPTION Series 1772 Allith track system with Durand's metal-clad double door set for 72"w x 84"h opening | |
| SIZE B | P/N 416-10-520 |
| REV. | |



SECTION C-C



CLOSED CONDITION

| REV. | DESCRIPTION | DATE | BY | APPR'D |
|--|-------------|------|----|--------|
| REVISION | | | | |
| THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SCOTT WILLO SOLUTION ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF SWS IS STRICTLY PROHIBITED. | | | | |

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
.X= $\pm .030$
.XX= $\pm .015$
.XXX= $\pm .005$
ANGULAR= $\pm 1^\circ$
MACHINED SURFACES TO HAVE
125 RMS FINISH
CONCENTRICITY= $\pm .002$ T.I.R.
BREAK ALL SHARP EDGES

| | |
|---|---------------------------|
| COPYRIGHTED CAD GENERATED DRAWING. DO NOT MANUALLY UPDATE | |
| DRAWN BY HT | DRAWN DATE 30-05-2025 |
| CHECKED BY | CHECKED BY |
| APPROVED BY | APPROVED DATE |
| SHEET 4 OF 7 | THIRD ANGLE PROJECTION |
| SCALE: 1:22 | |


**ALLITH
MANUFACTURING
COMPANY**

DESCRIPTION
Series 1772 Allith track system with Durand's metal-clad double door set for 72"w x 84"h opening

SIZE P/N
B 416-10-520

REV.

INSIDE DOOR CLOSED POSITION




CLOSED CONDITION

| REV. | DESCRIPTION | DATE | BY | APPR'D |
|--|-------------|------|----|--------|
| REVISION | | | | |
| THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SCOTT WILLO SOLUTION ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF SWS IS STRICTLY PROHIBITED. | | | | |


UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
.X= ±.030
.XX= ±.015
.XXX= ±.005
ANGULAR= ±1°
MACHINED SURFACES TO HAVE
125 RMS FINISH
CONCENTRICITY= ±.002 T.I.R.
BREAK ALL SHARP EDGES

| | |
|---|---------------------------|
| COPYRIGHTED CAD GENERATED DRAWING. DO NOT MANUALLY UPDATE | |
| DRAWN BY HT | DRAWN DATE 30-05-2025 |
| CHECKED BY | CHECKED BY |
| APPROVED BY | APPROVED DATE |
| SHEET 5 OF 7 | THIRD ANGLE PROJECTION |
| SCALE: 1:22 | |


| | |
|---|-------------------|
| ALLITH MANUFACTURING COMPANY | |
| DESCRIPTION Series 1772 Allith track system with Durand's metal-clad double door set for 72"w x 84"h opening | |
| SIZE B | P/N 416-10-520 |
| REV. | |




DETAIL B
SCALE 1 : 5



SECTION D-D
SCALE 1 : 10



DETAIL AG
SCALE 1 : 5




DETAIL AA
SCALE 1 : 5

| REV. | DESCRIPTION | DATE | BY | APPR'D |
|--|-------------|------|----|--------|
| REVISION | | | | |
| THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SCOTT WILLO SOLUTION ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF SWS IS STRICTLY PROHIBITED. | | | | |

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
.X= $\pm .030$
.XX= $\pm .015$
.XXX= $\pm .005$
ANGULAR= $\pm 1^\circ$
MACHINED SURFACES TO HAVE
125 RMS FINISH
CONCENTRICITY= $\pm .002$ T.I.R.
BREAK ALL SHARP EDGES

| | |
|---|---------------------------|
| COPYRIGHTED CAD GENERATED DRAWING. DO NOT MANUALLY UPDATE | |
| DRAWN BY HT | DRAWN DATE 30-05-2025 |
| CHECKED BY | CHECKED BY |
| APPROVED BY | APPROVED DATE |
| SHEET 6 OF 7 | THIRD ANGLE PROJECTION |
| SCALE: 1:22 | |

| | |
|---|--------------------------|
| ALLITH MANUFACTURING COMPANY | |
| DESCRIPTION Series 1772 Allith track system with Durand's metal-clad double door set for 72"w x 84"h opening | |
| SIZE B | P/N 416-10-520 |
| REV. | |



WALL PENETRATION HOLE CENTERS

| REV. | DESCRIPTION | DATE | BY | APPR'D |
|--|-------------|------|----|--------|
| REVISION | | | | |
| THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SCOTT WILLO SOLUTION ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF SWS IS STRICTLY PROHIBITED. | | | | |

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
.X= ±.030
.XX= ±.015
.XXX= ±.005
ANGULAR= ±1°
MACHINED SURFACES TO HAVE
125 RMS FINISH
CONCENTRICITY= ±.002 T.I.R.
BREAK ALL SHARP EDGES

| | |
|---|---------------------------|
| COPYRIGHTED CAD GENERATED DRAWING, DO NOT MANUALLY UPDATE | |
| DRAWN BY HT | DRAWN DATE 30-05-2025 |
| CHECKED BY | CHECKED BY |
| APPROVED BY | APPROVED DATE |
| SHEET 7 OF 7 | THIRD ANGLE PROJECTION |
| SCALE: 1:25 | |

| | |
|---|-------------------|
| ALLITH MANUFACTURING COMPANY | |
| DESCRIPTION Series 1772 Allith track system with Durand's metal-clad double door set for 72"w x 84"h opening | |
| SIZE B | P/N 416-10-520 |
| REV. | |