

ITEM NO.	PART NUMBER	DESCRIPTION	MATERIAL	COLOR	SIZE	QTY.
1	316-10-570	No.1712 Bi-parting Allith sliding fire door track system for 112" wide opening	Cast iron and steel	Black RAL 9005 (25- 35 gloss)	0	1
2	820-20-490	Metal Clad Door for No.752 Series Hardware with Sloped Top for 52" x 84" Opening, left hand	Sheet metal	Galvalume	60" x 90" centerline x 1-3/4"	1
3	820-20-492	Metal Clad Door for No.752 Series Hardware with Sloped Top for 52" x 84" Opening, right hand	Sheet metal	Galvalume	60" x 90" centerline x 1-3/4"	1





Wall fastener sets will vary according to the wall thickness and must be ordered separately.

Fasteners set for Series 1700/1800 systems with 64" to 120" door opening and 6-1/2" to 7" wall 316-80-230 316-80-240 Fasteners set for Series 1700/1800 systems with 64" to 120" door opening and 8-1/2" to 9" wall 316-80-250 Fasteners set for Series 1700/1800 systems with 64" to 120" door opening and 11-1/2" to 12" wall

REV.	DESCRIPTION	DATE	BY	APPR'D				
REVISION								

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SCOTT WILLO SOLUTION ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF SWS IS STRICTLY PROHIBITED.


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: $X = \pm .030$.XX= ±.015 .XXX= ±.005 ANGULAR= ±1° MACHINED SURFACES TO HAVE 125 RMS FINISH CONCENTRICITY= ±.002 T.I.R. BREAK ALL SHARP EDGES


COPYRIGHTED CAD GENERATED DRAWING, DO NOT MANUALLY UPDATE 31-05-2025 CHECKED BY SHEET 1 OF 7

ALLITH **MANUFACTURING COMPANY**

Series 1712 Allith track system with Durand's metal-clad double door set for 112"w x 84"h opening

SIZE B P/N 416-10-570





OPEN CONDITION

REV.	DESCRIPTION	DATE	BY	APPR'D
	REVISION	1		
OF SC	IFORMATION CONTAINED IN THIS DRAWING OTT WILLO SOLUTION ANY REPRODUCTIO OUT THE WRITTEN PERMISSION OF SWS IS	N IN PART OR WHOLI	Ē	

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
.X= ±.030
.XX= ±.015
.XXX= ±.005
ANGULAR= ±1°
MACHINED SURFACES TO HAVE
125 RMS FINISH
CONCENTRICITY= ±.002 T.I.R.
BREAK ALL SHARP EDGES

COPYRIGHTED CAD
GENERATED DRAWING,
DO NOT MANUALLY UPDATE

DRAWN BY
HT 31-05-2025
CHECKED BY CHECKED BY
APPROVED BY APPROVED DATE
SHEET 2 OF 7
SCALE:
1:26
THIRD ANGLE
R


ALLITH MANUFACTURING COMPANY

SCRIPTION

Series 1712 Allith track system with Durand's metal-clad double door set for 112"w x 84"h opening

SIZE P/N 416-10-570

INSIDE DOOR OPEN POSITION



OPEN CONDITION


					UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: .X= ±.030 .XX= ±.015 .XXX=±.005
REV. DESCI	DESCRIPTION	DATE	BY	APPR'D	ANGULAR= ±1° MACHINED SURFACES TO HAVE 125 RMS FINISH
	REVISIO	CONCENTRICITY= ±.002 T.I.R.			
OF SCOTT	MATION CONTAINED IN THIS DRAWIN WILLO SOLUTION ANY REPRODUCTIO THE WRITTEN PERMISSION OF SWS IS	BREAK ALL SHARP EDGES			

COPYRIGHTED CAD GENERATED DRAWING, DO NOT MANUALLY UPDATE CHECKED BY SHEET 3 OF 7


ALLITH **MANUFACTURING COMPANY**

Series 1712 Allith track system with Durand's metal-clad double door set for 112"w x 84"h opening

SIZE B P/N 416-10-570



INSIDE DOOR CLOSED POSITION



CLOSED CONDITION

_				
REV.	DESCRIPTION	DATE	BY	APPR'D
	REVISIO	N .	•	•
OF SCOT	RMATION CONTAINED IN THIS DRAWIN T WILLO SOLUTION ANY REPRODUCTIO THE WRITTEN PERMISSION OF SWS IS	N IN PART OR WHOLI	Ē	

UNLESS OTHERWISE SPECIFIED MENSIONS ARE IN INCHES L'LERANCES ARE: ±.030 (= ±.015 (X= ±.005 GULAR= ±1° CHINED SURFACES TO HAVE RMS FINISH NCENTRICITY= ±.002 T.I.R. EAK ALL SHARP EDGES

COPYRIGHTED CAD GENERATED DRAWING, DO NOT MANUALLY UPDATE SHEET 5 OF 7

ALLITH **MANUFACTURING COMPANY**

Series 1712 Allith track system with Durand's metal-clad double door set for 112"w x 84"h opening

SIZE B P/N 416-10-570

