

ITEM NO.	PART NUMBER	TITLE LINE 1	MATERIAL	COLOR	SIZE	QTY.
1	316-10-580	No.1720 Bi-parting Allith sliding fire door track system for 120" wide opening	Cast iron and steel	Black RAL 9005 (25-35 gloss)	0	1
2	820-20-500	Metal Clad Door for No.756 Series Hardware with Sloped Top for 56" x 84" Opening, left hand	Sheet metal	Galvalume	64" x 90" centerline x 1-3/4"	1
3	820-20-502	Metal Clad Door for No.756 Series Hardware with Sloped Top for 56" x 84" Opening, right hand	Sheet metal	Galvalume	64" x 90" centerline x 1-3/4"	1

Wall fastener sets will vary according to the wall thickness and must be ordered separately.

316-80-230	Fasteners set for Series 1700/1800 systems with 64" to 120" door opening and 6-1/2" to 7" wall
316-80-240	Fasteners set for Series 1700/1800 systems with 64" to 120" door opening and 8-1/2" to 9" wall
316-80-250	Fasteners set for Series 1700/1800 systems with 64" to 120" door opening and 11-1/2" to 12" wall

REV.	DESCRIPTION	DATE	BY	APPR'D
REVISION				
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SCOTT WILLO SOLUTION ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF SWS IS STRICTLY PROHIBITED.				

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
.X= ±.030
.XX= ±.015
.XXX= ±.005
ANGULAR= ±1°
MACHINED SURFACES TO HAVE
125 RMS FINISH
CONCENTRICITY= ±.002 T.I.R.
BREAK ALL SHARP EDGES



COPYRIGHTED CAD GENERATED DRAWING, DO NOT MANUALLY UPDATE	
DRAWN BY HT	DRAWN DATE 02-06-2025
CHECKED BY	CHECKED BY
APPROVED BY	APPROVED DATE
SHEET 1 OF 7	THIRD ANGLE PROJECTION
SCALE: 1:30	

ALLITH
MANUFACTURING
COMPANY

DESCRIPTION
Series 1720 Allith track system with Durand's metal-clad double door set for 120"w x 84"h opening

SIZE P/N
B 416-10-580

REV.



OPEN CONDITION


REV.	DESCRIPTION	DATE	BY	APPR'D
REVISION				
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SCOTT WILLO SOLUTION ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF SWS IS STRICTLY PROHIBITED.				

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
.X= ±.030
.XX= ±.015
.XXX= ±.005
ANGULAR= ±1°
MACHINED SURFACES TO HAVE
125 RMS FINISH
CONCENTRICITY= ±.002 T.I.R.
BREAK ALL SHARP EDGES

COPYRIGHTED CAD GENERATED DRAWING. DO NOT MANUALLY UPDATE	
DRAWN BY HT	DRAWN DATE 02-06-2025
CHECKED BY	CHECKED BY
APPROVED BY	APPROVED DATE
SHEET 2 OF 7	
SCALE: 1:26	THIRD ANGLE PROJECTION

ALLITH MANUFACTURING COMPANY	
DESCRIPTION Series 1720 Allith track system with Durand's metal-clad double door set for 120"w x 84"h opening	
SIZE B	P/N 416-10-580
REV.	

INSIDE DOOR OPEN POSITION




OPEN CONDITION

REV.	DESCRIPTION	DATE	BY	APPR'D
REVISION				
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SCOTT WILLO SOLUTION ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF SWS IS STRICTLY PROHIBITED.				


UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
.X= ±.030
.XX= ±.015
.XXX= ±.005
ANGULAR= ±1°
MACHINED SURFACES TO HAVE
125 RMS FINISH
CONCENTRICITY= ±.002 T.I.R.
BREAK ALL SHARP EDGES

COPYRIGHTED CAD GENERATED DRAWING. DO NOT MANUALLY UPDATE	
DRAWN BY HT	DRAWN DATE 02-06-2025
CHECKED BY	CHECKED BY
APPROVED BY	APPROVED DATE
SHEET 3 OF 7	
SCALE: 1:22	

ALLLITH MANUFACTURING COMPANY	
DESCRIPTION Series 1720 Allith track system with Durand's metal-clad double door set for 120"w x 84"h opening	
SIZE B	P/N 416-10-580
REV.	



SECTION C-C



CLOSED CONDITION


REV.	DESCRIPTION	DATE	BY	APPR'D
REVISION				
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SCOTT WILLO SOLUTION ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF SWS IS STRICTLY PROHIBITED.				

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
.X= ±.030
.XX= ±.015
.XXX= ±.005
ANGULAR= ±1°
MACHINED SURFACES TO HAVE
125 RMS FINISH
CONCENTRICITY= ±.002 T.I.R.
BREAK ALL SHARP EDGES

COPYRIGHTED CAD GENERATED DRAWING. DO NOT MANUALLY UPDATE	
DRAWN BY HT	DRAWN DATE 02-06-2025
CHECKED BY	CHECKED BY
APPROVED BY	APPROVED DATE
SHEET 4 OF 7	THIRD ANGLE PROJECTION
SCALE: 1:26	

ALLITH MANUFACTURING COMPANY	
DESCRIPTION Series 1720 Allith track system with Durand's metal-clad double door set for 120"w x 84"h opening	
SIZE B	P/N 416-10-580
REV.	

INSIDE DOOR CLOSED POSITION



CLOSED CONDITION

REV.	DESCRIPTION	DATE	BY	APPR'D
REVISION				
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SCOTT WILLO SOLUTION ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF SWS IS STRICTLY PROHIBITED.				

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
.X= ±.030
.XX= ±.015
.XXX= ±.005
ANGULAR= ±1°
MACHINED SURFACES TO HAVE
125 RMS FINISH
CONCENTRICITY= ±.002 T.I.R.
BREAK ALL SHARP EDGES


COPYRIGHTED CAD GENERATED DRAWING, DO NOT MANUALLY UPDATE	
DRAWN BY HT	DRAWN DATE 02-06-2025
CHECKED BY	CHECKED BY
APPROVED BY	APPROVED DATE
SHEET 5 OF 7	THIRD ANGLE PROJECTION
SCALE: 1:22	

ALLITH MANUFACTURING COMPANY	
DESCRIPTION Series 1720 Allith track system with Durand's metal-clad double door set for 120"w x 84"h opening	
SIZE B	P/N 416-10-580
REV.	



REV.	DESCRIPTION	DATE	BY	APPROVED
REVISION				
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SCOTT WILLO SOLUTION ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF SWS IS STRICTLY PROHIBITED.				

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
.X= $\pm .030$
.XX= $\pm .015$
.XXX= $\pm .005$
ANGULAR= $\pm 1^\circ$
MACHINED SURFACES TO HAVE
125 RMS FINISH
CONCENTRICITY= $\pm .002$ T.I.R.
BREAK ALL SHARP EDGES


COPYRIGHTED CAD GENERATED DRAWING, DO NOT MANUALLY UPDATE	
DRAWN BY HT	DRAWN DATE 02-06-2025
CHECKED BY	CHECKED BY
APPROVED BY	APPROVED DATE
SHEET 6 OF 7	 THIRD ANGLE PROJECTION
SCALE: 1:22	

**ALLITH
MANUFACTURING
COMPANY**

Y	DESCRIPTION
DATE	Series 1720 Allith track system with Durand's metal-clad double door set for 120"w x 84"h opening

SIZE	P/N
B	416-10-580

	REV.
--	------



WALL PENETRATION HOLE CENTERS

REV.	DESCRIPTION	DATE	BY	APPR'D
REVISION				
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SCOTT WILLO SOLUTION ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF SWS IS STRICTLY PROHIBITED.				

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
.X= ±.030
.XX= ±.015
.XXX= ±.005
ANGULAR= ±1°
MACHINED SURFACES TO HAVE
125 RMS FINISH
CONCENTRICITY= ±.002 T.I.R.
BREAK ALL SHARP EDGES

COPYRIGHTED CAD GENERATED DRAWING, DO NOT MANUALLY UPDATE	
DRAWN BY HT	DRAWN DATE 02-06-2025
CHECKED BY	CHECKED BY
APPROVED BY	APPROVED DATE
SHEET 7 OF 7	
SCALE: 1:25	THIRD ANGLE PROJECTION

ALLITH MANUFACTURING COMPANY	
DESCRIPTION Series 1720 Allith track system with Durand's metal-clad double door set for 120"w x 84"h opening	
SIZE B	P/N 416-10-580
REV.	